

Centos5 安装 Sendmail



1. Sendmail 软件包 安装

```
$> yum install -y sendmail sendmail-cf
```

2. Sendmail 配置

1. 编辑 /etc/mail/sendmail.mc 文件

```
$> vi /etc/mail/sendmail.mc  
...  
TRUST_AUTH_MECH(`EXTERNAL DIGEST-MD5 CRAM-MD5 LOGIN PLAIN')dnl  
...  
define('confAUTH_MECHANISMS', 'EXTERNAL GSSAPI DIGEST-MD5 CRAM-MD5 ( )'  
...
```

2. 设置 smtp 服务监听 25 号端口

```
$> vi /etc/mail/sendmail.mc  
...  
DAEMON_OPTIONS('Port=smtp, Name=MTA')dnl  
...
```

3. 设置本地域名

```
$> vi /etc/mail/sendmail.mc  
LOCAL_DOMAIN('example.com')dnl
```

4. Sendmail 启动

```
$> vi /etc/mail/sendmail.mc  
define('confSMTP_LOGIN_MSG')dnl
```

5. Sendmail `chkconfig` `chkconfig` `chkconfig`

```
$> chkconfig sendmail on
$> chkconfig saslauthd on
$> /etc/init.d/sendmail start
$> /etc/init.d/saslauthd start
```

3. `netstat` `netstat`

```
$> netstat -antp
Active Internet connections (servers and established)
Proto Recv-Q Send-Q Local Address Foreign Address State PID/Program name
tcp 0 0 0.0.0.0:25 0.0.0.0:* LISTEN 19466/sendmail
```

4. `telnet` `telnet`

```
$> telnet localhost 25
mail from:
rcpt to:
data
send test
.
quit
(  )
```

Revision #1

Created 7 June 2022 07:27:18 by artop0420

Updated 24 December 2023 00:51:36 by artop0420