

??? ?? Awstats ????

Awstats

1. URL - <https://awstats.sourceforge.io/>
2. &

```
$> tar -zxvf awstats-7.3.tar.gz
$> mv awstats-7.3 /usr/local/awstats/
```

3. awstats

```
$> cd usr/local/awstats/
$> mkdir etc; mkdir logs
$> cp wwwroot/cgi-bin/awstats.model.conf ./etc/test.kr
```

* /usr/local/awstats/tools/awstats_configure.pl

- 4.

```
$> vi test.kr
#
LogFile="/usr/local/apache2/logs/test.kr-access_log"

#
LogType=W
(LogType=W, LogFormat=M, FTP=F)

#
LogFormat=1
(LogFormat=1, IIS=2)

#
SiteDomain="test.kr"

#
HostAliases="awstats.test.kr"
```

```
# Awstats 실행 디렉토리
DirData="/usr/local/awstats/logs"

# 로깅 설정
EnableLockForUpdate=0
(EnableLockForUpdate=0, EnableLockForUpdate=1)
```

5. 로그 형식 설정

*로그 형식 combined 로그 형식, common 로그 형식, 로그 형식 .

```
# 로그 형식 설정
```

```
CustomLog "logs/access_log" combined
Alias /awstatsclasses "/usr/local/awstats/wwwroot/classes/"
Alias /awstatscss "/usr/local/awstats/wwwroot/css/"
Alias /awstatsicons "/usr/local/awstats/wwwroot/icon/"
ScriptAlias /awstats/ "/usr/local/awstats/wwwroot/cgi-bin/"
AllowOverride all
Order allow,deny
Allow from all
Options ExecCGI
```

6. 로그 업데이트 & Crontab에 등록

```
$> /usr/bin/perl /usr/local/awstats/wwwroot/cgi-bin/awstats.pl -config=test.kr -
update
$> crontab -l
* * * * * /usr/bin/perl /usr/local/awstats/wwwroot/cgi-bin/awstats.pl -config=test.kr
-update > /dev/null
```

Revision #1

Created 8 June 2022 06:24:05 by artop0420

Updated 24 December 2023 00:33:21 by artop0420