




节点, 节点 .
节点 节点 节点 节点 节点 (Refactoring) 节点 .



k8s 节点 节点 节点 kube scheduling 节点 节点 节点 节点 节点

节点 节点 cordon / drain 节点 节点 .

cordon / drain 节点 节点 节点 , cordon 节点 节点 节点 节点 , drain 节点 节点 节点 节点 节点 节点 . (drain 节点 cordon 节点 节点 .)



1. cordon 节点

- 节点 节点 节点

```
$> kubectl get no
NAME      STATUS    ROLES    AGE   VERSION
node1     Ready     <none>    1m    v1.10.0
node2     Ready     <none>    1m    v1.10.0
node3     Ready     <none>    1m    v1.10.0
node4     Ready     <none>    1m    v1.10.0
```

```
masr1 Ready control-plane,master 37d v1.23.7
work1 Ready <none> 37d v1.23.7
work2 Ready <none> 37d v1.23.7
```

- cordon 节点 (work1 节点 隔离)

```
$> kubectl cordon work1
node/work1 cordoned

$> kubectl get no
NAME STATUS ROLES AGE VERSION
masr1 Ready control-plane,master 37d v1.23.7
work1 Ready <none> 37d v1.23.7
work2 Ready,SchedulingDisabled <none> 37d v1.23.7
```

2. drain 节点

- 节点 隔离 daemonset 节点 pod 节点 local storage 节点 节点 节点 drain 节点 节点 节点 .
- 节点 节点 节点 PV 节点 节点 节点

```
kubectl drain work2
node/work2 already cordoned
error: unable to drain node "work2", aborting command...

There are pending nodes to be drained:
k8sw2
cannot delete DaemonSet-managed Pods (use --ignore-daemonsets to ignore): kube-
system/calico-node-fb862, kube-system/kube-proxy-4qhsx, kube-system/nodelocaldns-6cptm
cannot delete Pods with local storage (use --delete-emptydir-data to override): kubernetes-
dashboard/dashboard-metrics-scraper-66dd8bdd86-6cnbv, kubernetes-dashboard/kubernetes-
dashboard-844749bcff-mmpq2
```

- 节点 drain 节点

```
kubectl drain work2 --ignore-daemonsets --delete-emptydir-data
node/work2 already cordoned
```

```
WARNING: ignoring DaemonSet-managed Pods: kube-system/calico-node-fb862, kube-
system/kube-proxy-4qhsx, kube-system/nodelocaldns-6cptm
evicting pod kubernetes-dashboard/kubernetes-dashboard-844749bcff-mmpq2
evicting pod cert-manager/cert-manager-cainjector-75c94654d-r7trs
evicting pod cert-manager/cert-manager-webhook-d4fd4f479-cr6z2
evicting pod gitlab-agent/house-gitlab-agent-v1-586d6d6797-vm68t
evicting pod kube-system/coredns-657959df74-j2zbq
evicting pod kubernetes-dashboard/dashboard-metrics-scraper-66dd8bdd86-6cnbv
pod/cert-manager-cainjector-75c94654d-r7trs evicted
pod/cert-manager-webhook-d4fd4f479-cr6z2 evicted
pod/house-gitlab-agent-v1-586d6d6797-vm68t evicted
pod/kubernetes-dashboard-844749bcff-mmpq2 evicted
pod/dashboard-metrics-scraper-66dd8bdd86-6cnbv evicted
pod/coredns-657959df74-j2zbq evicted
node/work2 evicted
```

3.

-       .

```
kubectl uncordon work2
node/work2 already uncordoned
```

-   

```
$> kubectl get no
NAME    STATUS    ROLES                  AGE    VERSION
masr1   Ready     control-plane,master   37d    v1.23.7
work1   Ready     <none>                 37d    v1.23.7
work2   Ready     <none>                 37d    v1.23.7
```

Revision #2

Created 23 December 2023 23:04:51 by artop0420

Updated 10 November 2024 02:08:19 by artop0420