

Docker???? ?????

Docker rpm deb 包 包 包 包 /var/lib/docker 包 , 包 /, /var 包 包 包 包 包 包 包 OS 包 包 包 包 包 包 包 ... 包 包

```
$ df -h
Filesystem Size Used Avail Use% Mounted on
devtmpfs 7.7G 0 7.7G 0% /dev
tmpfs 7.8G 0 7.8G 0% /dev/shm
tmpfs 7.8G 738M 7.0G 10% /run
tmpfs 7.8G 0 7.8G 0% /sys/fs/cgroup
/dev/sda2 438G 430G 8G 99% /
/dev/sdb1 2T 500G 1.5T 25% /data/
/dev/sda1 497M 275M 223M 56% /boot
overlay 438G 430G 8G 99% /var/lib/docker/overlay2/53de091a6179957607c19a836f65ce1f9f4a43308cf7b24911907958c9e9f2a2/merged
```

```
$ du -hs /var/lib/docker
420G /var/lib/docker
```

OS 包 包 438G 包 包 Docker 包 420G 包 包 包 包 99% 包 ...

/data 包 包 2T 500G 包 包 Docker 包 包 /data 包 包 包 包 包 包 .

1. Docker stop

```
$ systemctl stop docker
```

2. docker 包 包 /data/docker 包 包

```
$ cat /etc/docker/daemon.json
{
  "data-root": "/data/docker"
}
```

- Docker Engine `daemon.json`

3. docker

```
$ mv -f /var/lib/docker /data/docker
```

4. docker

```
$ systemctl start docker
```

5. docker

```
$ docker info
...
Docker Root Dir: /data/docker
...
```

???? ???? ??

1. podman

```
$> vi /etc/containers/storage.conf
...
runroot = "/service/containers/storage"
graphroot = "/service/containers/storage"
...
```

2.

Revision #2

Created 8 June 2022 03:12:10 by artop0420

Updated 10 November 2024 02:03:55 by artop0420