mariadb
1 root
mysql -u root Welcome to the MariaDB monitor. Commands end with ; or \g. Your MariaDB connection id is 15 Server version: 10.4.7-MariaDB MariaDB Server Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

2. DML / DDL I

```
MariaDB [(none)]> create database test123;
     Query OK, 1 row affected (0.003 sec)
     MariaDB [test123]> create table wow( name int);
     Query OK, 0 rows affected (0.008 sec)
     MariaDB [test123]> insert into wow values(123);
     Query OK, 1 row affected (0.003 sec)
     MariaDB [test123]> select * from wow;
     +----+
     | name |
     +----+
     | 123 |
     +----+
     1 row in set (0.001 sec)
     MariaDB [(none)]> show databases;
     +----+
     | Database |
     +----+
     | information_schema |
     | mysql |
     | performance_schema |
     +----+
     3 rows in set (0.001 sec)
 .
Unix_Socket[] [[[[]]]
 1. unix_socket□ □□□
                       ── mysql root
                                                                          • 🔲
```

• login IIII III III (brute force) III IIII . IIIII
mysql root)
2. 🔲
• MariaDB III IIII IIII .
"The unix_socket authentication plugin is not suited to multiple Unix users accessing
a single MariaDB user account."
• sudo root DB
unix socket IIII III
1. local socket IIII
\$> vi /etc/my.cnf
Face arise alle 1
[mariadb]
unix_socket=OFF
2. root localhost DCL DCL
MYSQL> grants for *.* to root@localhost identified by '{{ root }}';
Query OK, 0 rows affected (0.011 sec)
MYSQL> flush privileges;
Query OK, 0 rows affected (0.001 sec)
з. Mariadb
3. Mailaub [[]] [[]]

reference

• https://mariadb.com/kb/en/library/authentication-plugin-unix-socket/

Revision #9

Created 6 June 2022 15:58:43 by artop0420

Updated 1 September 2024 00:21:03 by artop0420