

# Gitlab 镜像仓库搭建

环境

- gitlab 版本 - gitlab 版本
- Gitlab 镜像仓库 sync 仓库 , root 仓库 . (仓库 仓库 仓库 仓库 )
- gitlab 仓库 仓库 仓库 5 仓库 仓库

仓库 仓库

- 仓库 仓库 仓库
- 仓库 仓库 仓库

## Mirroring repositories

Collapse

Set up your project to automatically push and/or pull changes to/from another repository. Branches, tags, and commits will be synced automatically. [Read more](#)

### Git repository URL

Input your repository URL

- The repository must be accessible over `http://` , `https://` , `ssh://` or `git://` .
- When using the `http://` or `https://` protocols, please provide the exact URL to the repository. HTTP redirects will not be followed.
- Include the username in the URL if required: `https://username@gitlab.company.com/group/project.git` .
- The update action will time out after 180 minutes. For big repositories, use a clone/push combination.
- The Git LFS objects will **not** be synced.
- This user will be the author of all events in the activity feed that are the result of an update, like new branches being created or new commits being pushed to existing branches.

### Mirror direction

Push ▼

### Authentication method

Password ▼

### Password

- 仓库仓库
  - Git repository URL : 仓库 gitlab url (仓库 仓库 , `http://sync@192.168.100.200:8080/test/test.git`)
  - mirror direction : 仓库 仓库 push 仓库

- authentication method : Password
- Password :Mirror Repository ☐ ☐
- Mirror Repository ☐ ☐ ☐ ☐
- Only mirror protected branches ☐ ☐ . ☐ ☐ ☐ master ☐ ☐

- ☐ ☐ ☐
- ☐ ☐ ☐

## New project

A project is where you house your files (repository), plan your work (issues), and publish your documentation (wiki), [among other things](#).

All features are enabled for blank projects, from templates, or when importing, but you can disable them afterward in the project settings.

Information about additional Pages templates and how to install them can be found in our [Pages getting started guide](#).

**Tip:** You can also create a project from the command line. [Show command](#)

Blank project	Create from template	Import project
<p><b>Project name</b></p> <input type="text" value="test"/>		
<p><b>Project URL</b></p> <input type="text" value="http://192.168.100.200:8080"/> <input type="text" value="test"/>		<p><b>Project slug</b></p> <input type="text" value="test"/>
<p>Want to house several dependent projects under the same namespace? <a href="#">Create a group</a>.</p>		
<p><b>Project description (optional)</b></p> <div> <p>Description format</p> </div>		
<p><b>Visibility Level</b> <a href="#">?</a></p> <p><input checked="" type="radio"/> <b>Private</b> Project access must be granted explicitly to each user.</p> <p><input type="radio"/> <b>Internal</b> The project can be accessed by any logged in user.</p> <p><input type="radio"/> <b>Public</b> The project can be accessed without any authentication.</p>		
<p><input checked="" type="checkbox"/> <b>Initialize repository with a README</b> Allows you to immediately clone this project's repository. Skip this if you plan to push up an existing repository.</p>		
<input type="button" value="Create project"/>		<input type="button" value="Cancel"/>

Revision #4

Created 19 May 2023 01:18:42 by artop0420

Updated 24 December 2023 02:21:40 by artop0420