

pip 安装 docker-compose 依赖 requests

安装 docker-compose 依赖 requests

Centos7 安装 pip 安装 docker-compose 依赖 requests 安装 requests 。

docker 安装 rpm 安装 安装 dependency 安装 安装 安装 , 安装 安装 安装 pip 安装 docker-compose 安装 安装 。

安装 安装 docker-compose 安装 安装 安装 , 安装 python-requests 安装 安装 安装 pip 安装 安装 安装 安装 安装 安装 安装 安装 。

1. 安装 安装

```
$> pip install docker-compose
...
...
ERROR: Cannot uninstall 'requests'. It is a distutils installed project and thus we cannot accurately
determine which files belong to it which would lead to only a partial uninstall.
```

2. 安装 安装 安装 安装 安装 安装 安装

```
$> pip install docker-compose --ignore-installed
DEPRECATION: Python 2.7 reached the end of its life on January 1st, 2020. Please upgrade your
Python as Python 2.7 is no longer maintained. pip 21.0 will drop support for Python 2.7 in January
2021. More details about Python 2 support in pip can be found at
https://pip.pypa.io/en/latest/development/release-process/#python-2-support
WARNING: Running pip install with root privileges is generally not a good idea. Try `pip install --user`
instead.
```

Collecting docker-compose

Using cached docker_compose-1.26.2-py2.py3-none-any.whl (139 kB)

Collecting awscli

Downloading awscli-1.19.112-py2.py3-none-any.whl (3.6 MB)

 3.6 MB 2.2 MB/s

Collecting boto3

Downloading boto3-1.20.112-py2.py3-none-any.whl (7.7 MB)

 7.7 MB 61.8 MB/s

Collecting distro<2,>=1.5.0

Using cached distro-1.6.0-py2.py3-none-any.whl (19 kB)

Collecting backports.ssl-match-hostname<4,>=3.5; python_version < "3.5"

Using cached backports.ssl_match_hostname-3.7.0.1.tar.gz (5.7 kB)

Collecting docopt<1,>=0.6.1

Using cached docopt-0.6.2.tar.gz (25 kB)

Collecting dockerpty<1,>=0.4.1

Using cached dockerpty-0.4.1.tar.gz (13 kB)

Collecting texttable<2,>=0.9.0

Using cached texttable-1.6.4-py2.py3-none-any.whl (10 kB)

Collecting cached-property<2,>=1.2.0

Using cached cached_property-1.5.2-py2.py3-none-any.whl (7.6 kB)

Collecting PyYAML<6,>=3.10

Using cached PyYAML-5.4.1-cp27-cp27mu-manylinux1_x86_64.whl (574 kB)

Collecting subprocess32<4,>=3.5.4; python_version < "3.2"

Using cached subprocess32-3.5.4-cp27-cp27mu-manylinux2014_x86_64.whl (69 kB)

Collecting backports.shutil-get-terminal-size==1.0.0; python_version < "3.3"

Using cached backports.shutil_get_terminal_size-1.0.0-py2.py3-none-any.whl (6.5 kB)

Collecting enum34<2,>=1.0.4; python_version < "3.4"

Using cached enum34-1.1.10-py2-none-any.whl (11 kB)

Collecting requests<3,>=2.20.0

Using cached requests-2.26.0-py2.py3-none-any.whl (62 kB)

Collecting websocket-client<1,>=0.32.0

Using cached websocket_client-0.59.0-py2.py3-none-any.whl (67 kB)

Collecting jsonschema<4,>=2.5.1

Using cached jsonschema-3.2.0-py2.py3-none-any.whl (56 kB)

Collecting python-dotenv<1,>=0.13.0

Using cached python_dotenv-0.18.0-py2.py3-none-any.whl (18 kB)

Collecting six<2,>=1.3.0

Using cached six-1.16.0-py2.py3-none-any.whl (11 kB)

Collecting ipaddress<2,>=1.0.16; python_version < "3.3"

Using cached ipaddress-1.0.23-py2.py3-none-any.whl (18 kB)

Collecting docker[ssh]<5,>=4.2.2

Using cached docker-4.4.4-py2.py3-none-any.whl (147 kB)

Collecting rsa<=4.5.0,>=3.1.2; python_version == "2.7"

Downloading rsa-4.5-py2.py3-none-any.whl (36 kB)

Collecting colorama<0.4.4,>=0.2.5

Downloading colorama-0.4.3-py2.py3-none-any.whl (15 kB)

Collecting docutils<0.16,>=0.10

Downloading docutils-0.15.2-py2-none-any.whl (548 kB)

 548 kB 59.7 MB/s

Collecting s3transfer<0.5.0,>=0.4.0

Downloading s3transfer-0.4.2-py2.py3-none-any.whl (79 kB)

 79 kB 13.1 MB/s

Collecting jmespath<1.0.0,>=0.7.1

Downloading jmespath-0.10.0-py2.py3-none-any.whl (24 kB)

Collecting python-dateutil<3.0.0,>=2.1

Downloading python_dateutil-2.8.2-py2.py3-none-any.whl (247 kB)

 247 kB 68.0 MB/s

Collecting urllib3<1.27,>=1.25.4

Using cached urllib3-1.26.7-py2.py3-none-any.whl (138 kB)

Collecting certifi>=2017.4.17

Using cached certifi-2021.10.8-py2.py3-none-any.whl (149 kB)

Collecting idna<3,>=2.5; python_version < "3"

Using cached idna-2.10-py2.py3-none-any.whl (58 kB)

Collecting chardet<5,>=3.0.2; python_version < "3"

Using cached chardet-4.0.0-py2.py3-none-any.whl (178 kB)

Collecting functools32; python_version < "3"

Using cached functools32-3.2.3-2.tar.gz (31 kB)

Collecting pyrsistent>=0.14.0

Using cached pyrsistent-0.16.1.tar.gz (108 kB)

Collecting setuptools

Using cached setuptools-44.1.1-py2.py3-none-any.whl (583 kB)

Collecting importlib-metadata; python_version < "3.8"

Using cached importlib_metadata-2.1.2-py2.py3-none-any.whl (10 kB)

Collecting attrs>=17.4.0

Using cached attrs-21.4.0-py2.py3-none-any.whl (60 kB)

Collecting typing; python_version < "3.5"

Using cached typing-3.10.0.0-py2-none-any.whl (26 kB)

Collecting paramiko>=2.4.2; extra == "ssh"

Using cached paramiko-2.9.1-py2.py3-none-any.whl (210 kB)

Collecting pyasn1>=0.1.3

Downloading pyasn1-0.4.8-py2.py3-none-any.whl (77 kB)

 77 kB 11.8 MB/s

Collecting futures<4.0.0,>=2.2.0; python_version == "2.7"

Downloading futures-3.3.0-py2-none-any.whl (16 kB)

Collecting contextlib2; python_version < "3"

Using cached contextlib2-0.6.0.post1-py2.py3-none-any.whl (9.8 kB)

Collecting pathlib2; python_version < "3"

Using cached pathlib2-2.3.6-py2.py3-none-any.whl (17 kB)

Collecting zipp>=0.5

Using cached zipp-1.2.0-py2.py3-none-any.whl (4.8 kB)

Collecting configparser>=3.5; python_version < "3"

Using cached configparser-4.0.2-py2.py3-none-any.whl (22 kB)

Collecting cryptography>=2.5

Using cached cryptography-3.3.2-cp27-cp27mu-manylinux2010_x86_64.whl (2.6 MB)

Collecting pynacl>=1.0.1

Using cached PyNaCl-1.4.0-cp27-cp27mu-manylinux1_x86_64.whl (964 kB)

Collecting bcrypt>=3.1.3

Using cached bcrypt-3.1.7-cp27-cp27mu-manylinux1_x86_64.whl (59 kB)

Collecting scandir; python_version < "3.5"

Using cached scandir-1.10.0.tar.gz (33 kB)

Collecting cffi>=1.12

Using cached cffi-1.15.0-cp27-cp27mu-manylinux1_x86_64.whl (393 kB)

Collecting pycparser

Using cached pycparser-2.21-py2.py3-none-any.whl (118 kB)

Using legacy 'setup.py install' for backports.ssl-match-hostname, since package 'wheel' is not installed.

Using legacy 'setup.py install' for docopt, since package 'wheel' is not installed.

Using legacy 'setup.py install' for dockerpty, since package 'wheel' is not installed.

Using legacy 'setup.py install' for funtools32, since package 'wheel' is not installed.

Using legacy 'setup.py install' for pyrsistent, since package 'wheel' is not installed.

Using legacy 'setup.py install' for scandir, since package 'wheel' is not installed.

Installing collected packages: distro, backports.ssl-match-hostname, docopt, six, dockerpty, texttable, cached-property, PyYAML, subprocess32, backports.shutil-get-terminal-size, enum34, certifi, urllib3, idna, chardet, requests, websocket-client, funtools32, pyrsistent, setuptools, contextlib2, scandir, pathlib2, zipp, configparser, importlib-metadata, attrs, jsonschema, typing, python-dotenv, ipaddress, pycparser, cffi, cryptography, pynacl, bcrypt, paramiko, docker, docker-compose, pyasn1, rsa, colorama, docutils, jmespath, python-dateutil, botocore, futures, s3transfer, awscli

Running setup.py install for backports.ssl-match-hostname ... done

Running setup.py install for docopt ... done

Running setup.py install for dockerpty ... done

```
Running setup.py install for functools32 ... done
Running setup.py install for pyrsistent ... done
Running setup.py install for scandir ... done
Successfully installed PyYAML-5.4.1 attrs-21.4.0 awscli-1.19.112 backports.shutil-get-termin
```

Revision #2

Created 7 June 2022 02:13:45 by artop0420

Updated 14 April 2024 00:16:35 by artop0420