

pip로 패키지 설치시 requests메시지 출력하면서 에러나는 경우

Centos7버전에서 pip로 docker-compose 패키지를 설치할때 경험했던 현상입니다.

docker를 rpm으로 설치할 경우 dependency 패키지로 설치되는 경우도 있는데, 그렇지 않은 경우 pip를 통해서 docker-compose 설치가 가능합니다.

물론 이건 docker-compose 를 설치할때 확인했던 현상이었고, 원인은 python-requests패키지 충돌로 인한 문제였으니 pip를 통해 다른 패키지를 설치하려고 하면 동일한 현상이 발생할것 같아요.

1. 에러메시지 경험

```
$> pip install docker-compose
...
...
ERROR: Cannot uninstall 'requests'. It is a distutils installed project and thus we cannot accurately determine which files belong to it which would lead to only a partial uninstall.
```

2. 우회방안 설치되어 있는 패키지는 추가 설치 없이 구성하도록 설치

```
$> pip install docker-compose --ignore-installed
DEPRECATION: Python 2.7 reached the end of its life on January 1st, 2020. Please upgrade your Python as Python 2.7 is no longer maintained. pip
21.0 will drop support for Python 2.7 in January 2021. More details about Python 2 support in pip can be found at
https://pip.pypa.io/en/latest/development/release-process/#python-2-support
WARNING: Running pip install with root privileges is generally not a good idea. Try `pip install --user` instead.
Collecting docker-compose
  Using cached docker_compose-1.26.2-py2.py3-none-any.whl (139 kB)
Collecting awscli
  Downloading awscli-1.19.112-py2.py3-none-any.whl (3.6 MB)
    | 3.6 MB 2.2 MB/s
Collecting boto3
  Downloading boto3-1.20.112-py2.py3-none-any.whl (7.7 MB)
    | 7.7 MB 61.8 MB/s
Collecting distro<2,>=1.5.0
  Using cached distro-1.6.0-py2.py3-none-any.whl (19 kB)
Collecting backports.ssl-match-hostname<4,>=3.5; python_version < "3.5"
  Using cached backports.ssl_match_hostname-3.7.0.1.tar.gz (5.7 kB)
Collecting docopt<1,>=0.6.1
  Using cached docopt-0.6.2.tar.gz (25 kB)
Collecting dockerpty<1,>=0.4.1
  Using cached dockerpty-0.4.1.tar.gz (13 kB)
Collecting texttable<2,>=0.9.0
  Using cached texttable-1.6.4-py2.py3-none-any.whl (10 kB)
Collecting cached-property<2,>=1.2.0
  Using cached cached_property-1.5.2-py2.py3-none-any.whl (7.6 kB)
Collecting PyYAML<6,>=3.10
  Using cached PyYAML-5.4.1-cp27-cp27mu-manylinux1_x86_64.whl (574 kB)
Collecting subprocess32<4,>=3.5.4; python_version < "3.2"
  Using cached subprocess32-3.5.4-cp27-cp27mu-manylinux2014_x86_64.whl (69 kB)
Collecting backports.shutil-get-terminal-size==1.0.0; python_version < "3.3"
  Using cached backports.shutil_get_terminal_size-1.0.0-py2.py3-none-any.whl (6.5 kB)
Collecting enum34<2,>=1.0.4; python_version < "3.4"
  Using cached enum34-1.1.10-py2-none-any.whl (11 kB)
Collecting requests<3,>=2.20.0
  Using cached requests-2.26.0-py2.py3-none-any.whl (62 kB)
Collecting websocket-client<1,>=0.32.0
```

```
Using cached websocket_client-0.59.0-py2.py3-none-any.whl (67 kB)
Collecting jsonschema<4,>=2.5.1
  Using cached jsonschema-3.2.0-py2.py3-none-any.whl (56 kB)
Collecting python-dotenv<1,>=0.13.0
  Using cached python_dotenv-0.18.0-py2.py3-none-any.whl (18 kB)
Collecting six<2,>=1.3.0
  Using cached six-1.16.0-py2.py3-none-any.whl (11 kB)
Collecting ipaddress<2,>=1.0.16; python_version < "3.3"
  Using cached ipaddress-1.0.23-py2.py3-none-any.whl (18 kB)
Collecting docker[ssh]<5,>=4.2.2
  Using cached docker-4.4.4-py2.py3-none-any.whl (147 kB)
Collecting rsa<=4.5.0,>=3.1.2; python_version == "2.7"
  Downloading rsa-4.5-py2.py3-none-any.whl (36 kB)
Collecting colorama<0.4.4,>=0.2.5
  Downloading colorama-0.4.3-py2.py3-none-any.whl (15 kB)
Collecting docutils<0.16,>=0.10
  Downloading docutils-0.15.2-py2-none-any.whl (548 kB)
    ████████████████████████████████████████ 548 kB 59.7 MB/s
Collecting s3transfer<0.5.0,>=0.4.0
  Downloading s3transfer-0.4.2-py2.py3-none-any.whl (79 kB)
    ████████████████████████████████████████ 79 kB 13.1 MB/s
Collecting jmespath<1.0.0,>=0.7.1
  Downloading jmespath-0.10.0-py2.py3-none-any.whl (24 kB)
Collecting python-dateutil<3.0.0,>=2.1
  Downloading python_dateutil-2.8.2-py2.py3-none-any.whl (247 kB)
    ████████████████████████████████████████ 247 kB 68.0 MB/s
Collecting urllib3<1.27,>=1.25.4
  Using cached urllib3-1.26.7-py2.py3-none-any.whl (138 kB)
Collecting certifi>=2017.4.17
  Using cached certifi-2021.10.8-py2.py3-none-any.whl (149 kB)
Collecting idna<3,>=2.5; python_version < "3"
  Using cached idna-2.10-py2.py3-none-any.whl (58 kB)
Collecting chardet<5,>=3.0.2; python_version < "3"
  Using cached chardet-4.0.0-py2.py3-none-any.whl (178 kB)
Collecting functools32; python_version < "3"
  Using cached functools32-3.2.3-2.tar.gz (31 kB)
Collecting pyrsistent>=0.14.0
  Using cached pyrsistent-0.16.1.tar.gz (108 kB)
Collecting setuptools
  Using cached setuptools-44.1.1-py2.py3-none-any.whl (583 kB)
Collecting importlib-metadata; python_version < "3.8"
  Using cached importlib_metadata-2.1.2-py2.py3-none-any.whl (10 kB)
Collecting attrs>=17.4.0
  Using cached attrs-21.4.0-py2.py3-none-any.whl (60 kB)
Collecting typing; python_version < "3.5"
  Using cached typing-3.10.0.0-py2-none-any.whl (26 kB)
Collecting paramiko>=2.4.2; extra == "ssh"
  Using cached paramiko-2.9.1-py2.py3-none-any.whl (210 kB)
Collecting pyasn1>=0.1.3
  Downloading pyasn1-0.4.8-py2.py3-none-any.whl (77 kB)
    ████████████████████████████████████████ 77 kB 11.8 MB/s
Collecting futures<4.0.0,>=2.2.0; python_version == "2.7"
  Downloading futures-3.3.0-py2-none-any.whl (16 kB)
Collecting contextlib2; python_version < "3"
  Using cached contextlib2-0.6.0.post1-py2.py3-none-any.whl (9.8 kB)
Collecting pathlib2; python_version < "3"
  Using cached pathlib2-2.3.6-py2.py3-none-any.whl (17 kB)
Collecting zipp>=0.5
  Using cached zipp-1.2.0-py2.py3-none-any.whl (4.8 kB)
Collecting configparser>=3.5; python_version < "3"
  Using cached configparser-4.0.2-py2.py3-none-any.whl (22 kB)
Collecting cryptography>=2.5
  Using cached cryptography-3.3.2-cp27-cp27mu-manylinux2010_x86_64.whl (2.6 MB)
Collecting pynacl>=1.0.1
  Using cached PyNaCl-1.4.0-cp27-cp27mu-manylinux1_x86_64.whl (964 kB)
Collecting bcrypt>=3.1.3
  Using cached bcrypt-3.1.7-cp27-cp27mu-manylinux1_x86_64.whl (59 kB)
Collecting scandir; python_version < "3.5"
  Using cached scandir-1.10.0.tar.gz (33 kB)
```

```
Collecting cffi>=1.12
  Using cached cffi-1.15.0-cp27-cp27mu-manylinux1_x86_64.whl (393 kB)
Collecting pycparser
  Using cached pycparser-2.21-py2.py3-none-any.whl (118 kB)
Using legacy 'setup.py install' for backports.ssl-match-hostname, since package 'wheel' is not installed.
Using legacy 'setup.py install' for docopt, since package 'wheel' is not installed.
Using legacy 'setup.py install' for dockerpty, since package 'wheel' is not installed.
Using legacy 'setup.py install' for functools32, since package 'wheel' is not installed.
Using legacy 'setup.py install' for pyrsistent, since package 'wheel' is not installed.
Using legacy 'setup.py install' for scandir, since package 'wheel' is not installed.
Installing collected packages: distro, backports.ssl-match-hostname, docopt, six, dockerpty, texttable, cached-property, PyYAML, subprocess32,
backports.shutil-get-terminal-size, enum34, certifi, urllib3, idna, chardet, requests, websocket-client, functools32, pyrsistent, setuptools, contextlib2,
scandir, pathlib2, zipp, configparser, importlib-metadata, attrs, jsonschema, typing, python-dotenv, ipaddress, pycparser, cffi, cryptography, pynacl,
bcrypt, paramiko, docker, docker-compose, pyasn1, rsa, colorama, docutils, jmespath, python-dateutil, botocore, futures, s3transfer, awscli
  Running setup.py install for backports.ssl-match-hostname ... done
  Running setup.py install for docopt ... done
  Running setup.py install for dockerpty ... done
  Running setup.py install for functools32 ... done
  Running setup.py install for pyrsistent ... done
  Running setup.py install for scandir ... done
Successfully installed PyYAML-5.4.1 attrs-21.4.0 awscli-1.19.112 backports.shutil-get-termin
```

🕒Revision #2

★Created 7 June 2022 02:13:45 by artop0420

✎Updated 14 April 2024 00:16:35 by artop0420